L Number	Hits	Search Text	DB	Time stamp
-	1	(framework.asn. or conductive.asn. or datalex.asn) and ("business logic" same script$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:16
-	0	"09676045"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:07
-	88	(framework.asn. or conductive.asn. or datalex.asn)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:16
-	1	((framework.asn. or conductive.asn. or datalex.asn)) and (rule$1 or rule$1based or guidline$1 or predetermin$3) same (script$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:29
-	1	2001WO-US30472	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:25
-	36	"6199195"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:26
-	209	(business with logic$2) and (rule$1 or rule$1based or guidline$1 or predetermin$3) same (script$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:54
-	188	((business with logic$2) and (rule$1 or rule$1based or guidline$1 or predetermin$3) same (script$3)) and configur$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:41
-	115	(((business with logic$2) and (rule$1 or rule$1based or guidline$1 or predetermin$3) same (script$3)) and configur$5) and distributed same (customiz$5 or flexibl$4 or implement$5 or different or rewrit$4 or re$1implemenent$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 18:43
-	67	((((business with logic$2) and (rule$1 or rule$1based or guidline$1 or predetermin$3) same (script$3)) and configur$5) and distributed same (customiz$5 or flexibl$4 or implement$5 or different or rewrit$4 or re$1implemenent$5)) and xml	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:36
-	33	(((((business with logic$2) and (rule$1 or rule$1based or guidline$1 or predetermin$3) same (script$3)) and configur$5) and distributed same (customiz$5 or flexibl$4 or implement$5 or different or rewrit$4 or re$1implemenent$5)) and xml) and (@ad<20000927 or @rlad<20000927 or @prad<20000927)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:41
-	118	((business with logic$2) and (rule$1 or rule$1based or guidline$1 or predetermin$3) same (script$3)) and (@ad<20000927 or @rlad<20000927 or @prad<20000927)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:56

C:\APPS\EAST\Workspaces\09966903.wsp

-	105	(((business with logic$2) and (rule$1 or rule$1based or guidline$1 or predetermin$3) same (script$3)) and (@ad<20000927 or @rlad<20000927 or @prad<20000927)) and configur$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:41
-	72	((((business with logic$2) and (rule$1 or rule$1based or guidline$1 or predetermin$3) same (script$3)) and (@ad<20000927 or @rlad<20000927 or @prad<20000927)) and configur$5) not ((((((business with logic$2) and (rule$1 or rule$1based or guidline$1 or predetermin$3) same (script$3)) and configur$5) and distributed same (customiz$5 or flexibl$4 or implement$5 or different or rewrit$4 or re$1implemenent$5)) and xml) and (@ad<20000927 or @rlad<20000927 or @prad<20000927))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:51
-	0	"61411660"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:52
-	32	"6141660"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:52
-	109	((business with logic$2) or (rule$1 or rule$1based or guidline$1 or predetermin$3) or(script$3)or configur$5 or distribut$3) and ("6141660" or "6199195" or "6112126" or "5960200")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 17:56
-	90	(((business with logic$2) or (rule$1 or rule$1based or guidline$1 or predetermin$3) or(script$3)or configur$5 or distribut$3) and ("6141660" or "6199195" or "6112126" or "5960200")) and (@ad<20000927 or @rlad<20000927 or @prad<20000927)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 18:44
-	2	distribut$3 and "6553563"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 18:25
-	44	(((business with logic$2) or (rule$1 or rule$1based or guidline$1 or predetermin$3) or(script$3)or configur$5 or distribut$3) and ("6141660" or "6199195" or "6112126" or "5960200")) and distributed same (customiz$5 or flexibl$4 or implement$5 or different or rewrit$4 or re$1implemenent$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 18:46
-	22	((((business with logic$2) or (rule$1 or rule$1based or guidline$1 or predetermin$3) or(script$3)or configur$5 or distribut$3) and ("6141660" or "6199195" or "6112126" or "5960200")) and distributed same (customiz$5 or flexibl$4 or implement$5 or different or rewrit$4 or re$1implemenent$5)) and xml	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 18:44
-	16	(((((business with logic$2) or (rule$1 or rule$1based or guidline$1 or predetermin$3) or(script$3)or configur$5 or distribut$3) and ("6141660" or "6199195" or "6112126" or "5960200")) and distributed same (customiz$5 or flexibl$4 or implement$5 or different or rewrit$4 or re$1implemenent$5)) and xml) and (@ad<20000927 or @rlad<20000927 or @prad<20000927)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 18:46

–	19	(((business with logic$2) or (rule$1 or rule$1based or guidline$1 or predetermin$3) or(script$3)or configur$5 or distribut$3) and ("6141660" or "6199195" or "6112126" or "5960200")) and distributed same (exten$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 18:46
–	18	((((business with logic$2) or (rule$1 or rule$1based or guidline$1 or predetermin$3) or(script$3)or configur$5 or distribut$3) and ("6141660" or "6199195" or "6112126" or "5960200")) and distributed same (exten$5)) and (@ad<20000927 or @rlad<20000927 or @prad<20000927)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 07:50
–	504789	(install$5 or configur$5) same (perform$5 or requir$5 or predetermin$4 or rule$1 or rule$1based or guidlin$3) and (conver$4 or modif$6 or transfer$4 or customi$5 or flexib$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 07:55
–	2017	(install$5 or configur$5) same (perform$5 or requir$5 or predetermin$4 or rule$1 or rule$1based or guidlin$3) and (conver$4 or modif$6 or transfer$4 or customi$5 or flexib$4) and (@ad<20000927 or @rlad<20000927 or @prad<20000927) and xml	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 08:00
–	1939	((install$5 or configur$5) same (perform$5 or requir$5 or predetermin$4 or rule$1 or rule$1based or guidlin$3) and (conver$4 or modif$6 or transfer$4 or customi$5 or flexib$4) and (@ad<20000927 or @rlad<20000927 or @prad<20000927) and xml) and (exten$5 or base or derived or inherit$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 07:56
–	898	(((install$5 or configur$5) same (perform$5 or requir$5 or predetermin$4 or rule$1 or rule$1based or guidlin$3) and (conver$4 or modif$6 or transfer$4 or customi$5 or flexib$4) and (@ad<20000927 or @rlad<20000927 or @prad<20000927) and xml) and (exten$5 or base or derived or inherit$5)) and script$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 07:57
–	671	((((install$5 or configur$5) same (perform$5 or requir$5 or predetermin$4 or rule$1 or rule$1based or guidlin$3) and (conver$4 or modif$6 or transfer$4 or customi$5 or flexib$4) and (@ad<20000927 or @rlad<20000927 or @prad<20000927) and xml) and (exten$5 or base or derived or inherit$5)) and script$3) and (pre$1determin$3 or pre$1defin$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 07:58
–	594	(((((install$5 or configur$5) same (perform$5 or requir$5 or predetermin$4 or rule$1 or rule$1based or guidlin$3) and (conver$4 or modif$6 or transfer$4 or customi$5 or flexib$4) and (@ad<20000927 or @rlad<20000927 or @prad<20000927) and xml) and (exten$5 or base or derived or inherit$5)) and script$3) and (pre$1determin$3 or pre$1defin$3)) and distribut$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 07:58
–	320	((((((install$5 or configur$5) same (perform$5 or requir$5 or predetermin$4 or rule$1 or rule$1based or guidlin$3) and (conver$4 or modif$6 or transfer$4 or customi$5 or flexib$4) and (@ad<20000927 or @rlad<20000927 or @prad<20000927) and xml) and (exten$5 or base or derived or inherit$5)) and script$3) and (pre$1determin$3 or pre$1defin$3)) and distribut$3) and script$3 same (rule$1 or logic$1 or component$1 or modu$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 08:00

C:\APPS\EAST\Workspaces\09966903.wsp

–	2017	(install$5 or configur$5) same (perform$5 or requir$5 or predetermin$4 or rule$1 or rule$2based or guidlin$3) and (conver$4 or modif$6 or transfer$4 or customi$5 or flexib$4) and (@ad<20000927 or @rlad<20000927 or @prad<20000927) and xml	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 08:00
–	14	(((((((((install$5 or configur$5) same (perform$5 or requir$5 or predetermin$4 or rule$1 or rule$1based or guidlin$3) and (conver$4 or modif$6 or transfer$4 or customi$5 or flexib$4) and (@ad<20000927 or @rlad<20000927 or @prad<20000927) and xml) and (exten$5 or base or derived or inherit$5)) and script$3) and (pre$1determin$3 or pre$1defin$3)) and distribut$3) and script$3 same (rule$1 or logic$1 or component$1 or modu$3)) and xml same configur$5) and call$1back	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 08:01
–	82	(((((((((install$5 or configur$5) same (perform$5 or requir$5 or predetermin$4 or rule$1 or rule$1based or guidlin$3) and (conver$4 or modif$6 or transfer$4 or customi$5 or flexib$4) and (@ad<20000927 or @rlad<20000927 or @prad<20000927) and xml) and (exten$5 or base or derived or inherit$5)) and script$3) and (pre$1determin$3 or pre$1defin$3)) and distribut$3) and script$3 same (rule$1 or logic$1 or component$1 or modu$3)) and xml same configur$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:14
–	0	"09966903"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:15
–	2	"20020129345"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:15